



NAIL FIN INSTALLATION

BRICKMOULD VINYL FIXED		
Max Frame	DP RATING	IMPACT
72 x 72	+/-50	NO

General Notes:

1. Seal flange/frame to substrate.
2. Use #8 x 1 1/4" PH or greater fastener through the nail fin with sufficient length to penetrate a minimum of 1" into the wood frame. For two (2x) wood frame substrate (Min. S.G. = 0.42).
3. Host structure (wood buck, masonry, steel) to be designed and anchored to properly transfer all loads to the structure. The host structure is the responsibility of the architect or engineer of record for the project of installation.

General Notes:

1. The product shown herein is designed, tested and manufactured to comply with the wind load criteria of the adopted International Building Code (IBC), the International Residential Code (IRC), the Florida Building Code (FBC), and the industry requirement for the stated conditions.
2. All glazing shall conform to ASTM E 1300.
3. At minimum, glazing is single strength annealed insulating glass.
4. Use structural or composite shims where required.
5. Installation methods can be interchanged within the same opening.
6. An impact protective system is required where wind borne debris protection is mandated by local building code.
7. Maximum sizes are buck sizes and do not include fin or flange.

This schedule addresses only the fasteners required to anchor the window to achieve the rated design pressure up to the size limitations noted. It is not intended as a guide to the installation process and does not address the sealing consideration that may arise in different wall conditions. For the complete installation procedure, see the instructions packaged with the window or go to www.jeld-wen.com/resources/installation.

DISCLAIMER:

This drawing and its contents are confidential and are not to be reproduced or copied in whole or in part or used or disclosed to others except as authorized by JELD-WEN Inc.

PROJECT ENGINEER:	DATE:	10/02/2012
DRAWN BY:	SCALE:	NTS
CHECKED BY:	TITLE:	Brickmould Vinyl Fixed Window Nail Fin Installation (72" x 72")
APPROVED BY:		
PART/PROJECT NO.:		
D008250		
IDENTIFIER NO.:	PLANT NAME AND LOCATION:	CAD DWG. No.:
SW2012-151		
		REV: 00
		SHEET 7 OF 7

3250 Lakeport Blvd
Klamath Falls, OR, 97601
Phone: (541) 882-3451

JELD-WEN