



TYPICAL ELEVATION WITH FASTENER SPACING



WOOD FRAME SECTION (TYP)
VERTICAL SECTION
NOTE: Caulk between Mulling Flange & Wood Opening.

NAIL FIN INSTALLATION



FRAME JAMB SECTION (TYP)
HORIZONTAL SECTION
NOTE: Caulk between Mulling Flange & Wood Opening.

Max Frame	DP	IMPACT
45 3/8 x 80 +35/-40		NO

Installation Notes:

1. Seal flange/frame to substrate.
2. Use #8 PH or greater fastener through the nailfin on all sides with sufficient length to penetrate a minimum of 1 1/2" into the wood framing. For 2x wood frame substrate (min. S.G. = 0.42)
3. Host structure (wood buck, masonry, steel) to be designed and anchored to properly transfer all loads to the structure. The host structure is the responsibility of the architect or engineer of record for the project of installation.


General Notes:

1. The product shown herein is designed, tested and manufactured to comply with the wind load criteria of the adopted International Building Code (IBC), the International Residential Code (IRC), the Florida Building Code (FBC), and the industry requirement for the stated conditions.
2. All glazing shall conform to ASTM E1300.
3. At minimum, glazing shall be double strength annealed insulating glass.
4. Use structural or composite shims where required.


This schedule addresses only the fasteners required to anchor the window to achieve the rated design pressure and impact performance (where applicable) up to the size limitations noted. It is not intended as a guide to the installation process and does not address the sealing consideration that may arise in different wall conditions. For the complete installation procedure, see the instructions packaged with the window or go to www.jeld-wen.com/resources/installation.

DISCLAIMER:
This drawing and its contents are confidential and are not to be reproduced or copied in whole or in part or used or disclosed to others except as authorized by JELD-WEN Inc.


PROJECT ENGINEER:	DATE:	08/01/2017	PLANT NAME AND LOCATION:	CAD DWG. No.:	REV:	SHEET
DRAWN BY:	SCALE:	NTS	Custom Clad Double Hung	CUSTCLDH Gert	A	
CHECKED BY:	TITLE:					
APPROVED BY:						
D. STOKES						
PART/PROJECT No.:						
D004166						
IDENTIFIER No.:						
H0418.05-301-47-R0						
PROJECT ENGINEER:			3737 LAKEPORT BLVD.			
J.HAWKINS			KIAMATH FALLS OR, 97601			
C.ABBOTT			PHONE: (800) 535-3936			



TYPICAL ELEVATION WITH FASTENER SPACING



WOOD FRAME SECTION (TYP)
VERTICAL SECTION



FRAME JAMB SECTION (TYP)
HORIZONTAL SECTION

THROUGH FRAME
INSTALLATION

Max Frame	DP	IMPACT
45 3/8 x 80	+35/-40	NO

Installation Notes:

1. Seal flange/frame to substrate.
2. Use #8 PH or greater fastener through the frame with sufficient length to penetrate a minimum of 1 1/2" into the wood framing. For 2x wood frame substrate (min. S.G. = 0.42)
3. Host structure (wood buck, masonry, steel) to be designed and anchored to properly transfer all loads to the structure. The host structure is the responsibility of the architect or engineer of record for the project of installation.

General Notes:


1. The product shown herein is designed, tested and manufactured to comply with the wind load criteria of the adopted International Building Code (IBC), the International Residential Code (IRC), the Florida Building Code (FBC), and the industry requirement for the stated conditions.
2. All glazing shall conform to ASTM E1300.
3. At minimum, glazing shall be double strength annealed insulating glass.
4. Use structural or composite shims where required.

This schedule addresses only the fasteners required to anchor the window to achieve the rated design pressure and impact performance (where applicable) up to the size limitations noted. It is not intended as a guide to the installation process and does not address the sealing consideration that may arise in different wall conditions. For the complete installation procedure, see the instructions packaged with the window or go to www.jeld-wen.com/resources/installation.



DISCLAIMER:

This drawing and its contents are confidential and are not to be reproduced or copied in whole or in part or used or disclosed to others except as authorized by JELD-WEN Inc.

PROJECT ENGINEER:	DATE:	08/01/2017	PLANT NAME AND LOCATION:	CAD DWG. No.:	REV:	A	SHEET
DRAWN BY:	SCALE:	NTS	CUSTOMER: JELD-WEN KIAMATH FALLS OR, 97601 PHONE: (800) 535-3936	CUST:CLDH Car	A	SHEET	
CHECKED BY:	TITLE:	Custom Clad Double Hung					
APPROVED BY:	PART/PROJECT No.:	D004166					
IDENTIFIER No.:	H0418.05-301-47-R0		Bend-OR				



TYPICAL ELEVATION WITH FASTENER SPACING



MASONRY STRAP
INSTALLATION

FRAME JAMB SECTION (TYP)
HORIZONTAL SECTION

Max Frame	DP	IMPACT
45 3/8 x 80	+35/-40	NO

Installation Notes:

1. Seal flange/frame to substrate.
2. Use 2-#8 PFH or larger fasteners through masonry/strap with sufficient length to penetrate a minimum of 1 1/2" into the masonry or buck.. For concrete (min. fc = 3000 psi) or masonry substrate (CMU) shall adhere to ASTM C90).
3. Use 2-#8 PFH or larger fasteners through masonry strap into jamb without penetrating through the jamb into product causing visibility or collateral damage to product.
4. Host structure (wood buck, masonry, steel) to be designed and anchored to properly transfer all loads to the structure. The host structure is the responsibility of the architect or engineer of record for the project of installation.

General Notes:

1. The product shown herein is designed, tested and manufactured to comply with the wind load criteria of the adopted International Building Code (IBC), the International Residential Code (IRC), the Florida Building Code (FBC) and the industry requirement for the stated conditions.
2. All glazing shall conform to ASTM E1300.
3. At minimum, glazing shall be double strength annealed insulating glass.
4. Use structural or composite shims where required.

This schedule addresses only the fasteners required to anchor the window to achieve the rated design pressure and impact performance (where applicable) up to the size limitations noted. It is not intended as a guide to the installation process and does not address the sealing consideration that may arise in different wall conditions. For the complete installation procedure, see the instructions packaged with the window or go to www.jeld-wen.com/resources/installation.

DISCLAIMER:
This drawing and its contents are confidential and are not to be reproduced or copied in whole or in part or used or disclosed to others except as authorized by JELD-WEN Inc.

PROJECT ENGINEER:	DATE:	08/01/2017	3737 LAKEPORT BLVD.
DRAWN BY:	SCALE:	NTS	KIAMATH FALLS OR, 97601
CHECKED BY:	TITLE:		PHONE: (800) 535-3936
APPROVED BY:			Custom Clad Double Hung
D-STOKES			
PART/PROJECT No.:	PLANT NAME AND LOCATION:		
D004166	H0418.05-301-47-R0	Bend-OR	
IDENTIFIER No.:	CAD DWG. No.:	REV:	SHEET
	CUSTCLDH Gdt	A	