



 (ω)

-1/4" MAX SHIM SPACE

– 2X WOOD FRAME MIN. DISTANCE FOR EDGE: 3/4" Max Frame 48×36 DP RATING IMPACT +35/-40 NO

Installation Notes:

- Seal flange/frame to substrate
- Ņ the wood framing. For 2X wood frame substrate (min. S.G. = 0.42). Use #8 PH or greater fastener though the nail fin with sufficient length to penetrate a minimum of 1" into
- ယ to the structure. The host structure is the responsibility of the architect or engineer of record for the Host structure (wood buck, masonry, steel) to be designed and anchored to properly transfer all loads project of installation.

window to achieve the rated design pressure up to the size limitations This schedule addresses only the fasteners required to anchor the

conditions. For the complete installation procedure, see the instructions not address the sealing consideration that may arise in different wall packaged with the window or go to noted. It is not intended as a guide to the installation process and does

www.jeld-wen.com/resources/installation.

DISCLAIMER:

except as authorized by JELD-WEN Inc. reproduced or copied in whole or in part or used or disclosed to others This drawing and its contents are confidential and are not to be

AS TESTED

General Notes:

- 1" MIN. EMBEDMENT

- 0 2 4 0 of the adopted International Building Code(IBC), the International Residential Code(IRC), the Florida Building Code(FBC) and the industry requirement for the stated conditions. The product shown herein is designed, tested and manufactured to comply with the wind load criteria
 - All glazing shall conform to ASTM E1300.
 - At minimum, glazing shall be 3/32" annealed 3/32" annealed insulating glass
 - Use structural or composite shims where required
- building code. An impact protective system is required where wind borne debris protection is mandated by local
- Maximum sizes are buck sizes and do not include fin or flange

| SHEET 1 OF 1 | REV: 00 | CAD DWG. No.: | TION: | ${}^{ m PL}$ PLANT NAME AND LOCATION: | SJW2013-247-FBC |
|--|-------------|-----------------------------------|---------|---------------------------------------|-------------------------|
| | , ,, | | - | | D011306 |
| | ر عد") د | Nail Fin Installation (48" v 36") | Nail Fi | | 1 |
| | VIndow | Premium Vinyi Awning Window | Premiu | | APPROVED BY: |
| | - | | | TITLE: | CHECKED BY: J. Kantola |
| Phone: (541) 882-3451 | | | | SCALE: NTS | D. Vezo |
| 3737 Lakeport Blvd Klamath Falls OR 97601 | ™ | NHWEIT | | DATE: 05/28/2014 | INEER: |