

FIN ANCHORSEE SHEETS 3 TO 4

NOTES:

- 1. Installations depicted satisfy the requirements of the Florida Building Code, Building 8th Edition (2023) for design wind pressures and overall sizes noted.
- 2. Wood bucks, wood framing, steel stud framing, concrete and concrete masonry are by others and shall be designed by the architect or engineer of record to resist the loads imparted to them.
- 3. Wood buck strips and wood frames are assumed S-P-F (G=0.42) or denser. Buck width shall be greater than the window frame width. Tapered or partial width buck strips are not allowed.
- 4. Concrete masonry installations are assumed at least ASTM C90 normal weight hollow masonry units with a 1-1/4" wall thickness or normal weight concrete with a minimum compressive strength of f'c = 3,000 psi.
- 5. Metal stud frames are assumed to be a minimum 18 gauge 33 KSI steel.
- 6. Wood screws shall be corrosion resistant and meet the requirements of ANSI/ASME B18.6.1
- 7. Tapcon masonry anchors shall have a minimum embedment of 1-1/2" or full penetration of concrete masonry unit shell. They shall also have a minimum of 2" edge distance. Install concrete masonry anchors per manufacturer's installation instructions.
- 8. TEKS screws shall be corrosion resistant and shall be ASTM A510 Grade 1018 or equivalent.
- 9. Maximum permitted shim thickness is 1/4". Shims shall be non-compressible and load bearing type. Every through—frame fastener shall have a shim.
- 10. Products are not impact resistant and require approved protection devices if used in wind—borne debris regions.
- 11. Not for use in High Velocity Hurricane Zone (HVHZ).

CONTENTS:

Sheet 1-2 Elevations and Notes
Sheet 3 Fin Install to Wood
Sheet 4 Fin Install to Steel Stud
Sheet 5 Finless Install to Wood
Sheet 6 Finless Install to Steel Stud
Sheets 7-8 Finless Install to Concrete or CMU

Sheet 9 Installation Accessories

This item has been digitally signed and sealed by Michael D. Stremmel, PE on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Michael D. Stremmel, PE FL PE 65868 FL REG 37122 1410 Eden Road York, PA 17402 717-916-6300



2023.12.11 11:52:26 -05'00'

Milosme

1630 Sliding Window - non Impact Elevations and Notes


MI Windows and Doors

702 W. Market St. Gratz, PA 17030

Drawing No.: 27488.05-1001 Project No.: 27488.05-107-16

Drawn By: MDS Rev: - Date: 12/11/23

Scale: NTS Sheet 1 of 9



1630 HORIZONTAL SLIDING WINDOW (XO) — FINLESS INSTALLATION

MAXIMUM SIZE 74" X 63"

DESIGN PRESSURE +/- 50 PSF

FRAME ANCHOR
SEE SHEETS 5 TO 8

ANCHOR PLATE AT SILL SEE SHEETS 5 TO 9

This item has been digitally signed and sealed by Michael D. Stremmel, PE on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Michael D. Stremmel, PE FL PE 65868 FL REG 37122 1410 Eden Road York, PA 17402 717-916-6300



2023.12.11 11:52:26 -05'00'

MilOSme

1630 Sliding Window - non Impact Elevations and Notes

MI Windows and Doors

702 W. Market St. Gratz, PA 17030

Drawing No.: 27488.05-1001 Project No.: 27488.05-107-16

Drawn By: MDS Rev: - Date: 12/11/23

Scale: NTS Sheet 2 of 9

HEAD SHEATHING (TYPICAL)-ADJUST SCREW LENGTH -WOOD FRAMING OR 2X BUCK. TO ACHIEVE EMBEDMENT SEE NOTE 3. #8 X 1-5/8" WOOD SCREW 3/4" MIN **EXTERIOR INTERIOR** 3/4" MIN


1-1/2" MIN

-WOOD FRAMING OR

2X BUCK. SEE NOTE 3.

#8 X 1-5/8" WOOD SCREW

SILL



Note:

Waterproofing and interior finishes by others. Not shown for clarity.

JAMB

This item has been digitally signed and sealed by Michael D. Stremmel, PE on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Michael D. Stremmel, PE FL PE 65868 FL REG 37122 1410 Eden Road York, PA 17402 717-916-6300



1630 Sliding Window - non Impact Fin Installation to Wood


MI Windows and Doors

702 W. Market St. Gratz, PA 17030

Drawing No.: 27488.05-1001 Project No.: 27488.05-107-16


Drawn By: MDS Rev: -Date: 12/11/23

Scale: NTS Sheet 3 of 9



Note:

Waterproofing and interior finishes by others. Not shown for clarity.



This item has been digitally signed and sealed by Michael D. Stremmel, PE on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Michael D. Stremmel, PE FL PE 65868 FL REG 37122 1410 Eden Road York, PA 17402 717-916-6300



1630 Sliding Window - non Impact Fin Installation to Steel Stud


MI Windows and Doors

702 W. Market St. Gratz, PA 17030

Drawing No.: 27488.05-1001 Project No.: 27488.05-107-16

Drawn By: MDS Rev: -Date: 12/11/23

Scale: NTS Sheet 4 of 9



SILL

Note:

Waterproofing and interior finishes by others. Not shown for clarity.

Finless Installation to Wood

MI Windows and Doors

1630 Sliding Window - non Impact

702 W. Market St. Gratz, PA 17030

Drawing No.: 27488.05-1001 Project No.: 27488.05-107-16

Drawn By: MDS Rev: -Date: 12/11/23


Scale: NTS Sheet 5 of 9

This item has been digitally signed and sealed by Michael D. Stremmel, PE on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Michael D. Stremmel, PE FL PE 65868 FL REG 37122 1410 Eden Road York, PA 17402 717-916-6300



2023.12.11 11:52:26 -05'00'



SILL

Note:

Waterproofing and interior finishes by others. Not shown for clarity.

This item has been digitally signed and sealed by Michael D. Stremmel, PE on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Michael D. Stremmel, PE FL PE 65868 FL REG 37122 1410 Eden Road York, PA 17402 717-916-6300



MI Windows and Doors 702 W. Market St.

1630 Sliding Window - non Impact

Finless Installation to Steel Stud

Gratz, PA 17030


Drawing No.: 27488.05-1001 Project No.: 27488.05-107-16

Drawn By: MDS Rev: -

Scale: NTS Sheet 6 of 9

Date: 12/11/23

hill In



Waterproofing and interior finishes by others. Not shown for clarity.

not considered signed and sealed and the signature must be verified on any electronic copies.

Michael D. Stremmel, PE FL PE 65868 FL REG 37122 1410 Eden Road York, PA 17402 717-916-6300



2023.12.11 11:52:26 -05'00'

1630 Sliding Window - non Impact Finless Installation to Concrete/CMU


MI Windows and Doors

702 W. Market St. Gratz, PA 17030

Drawing No.: 27488.05-1001 Project No.: 27488.05-107-16

Drawn By: MDS Rev: -Date: 12/11/23

Scale: NTS Sheet 7 of 9



2" MIN

EDGE DIST.

SILL

Note:

Waterproofing and interior finishes by others. Not shown for clarity.

This item has been digitally signed and sealed by Michael D. Stremmel, PE on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Michael D. Stremmel, PE FL PE 65868 FL REG 37122 1410 Eden Road York, PA 17402 717-916-6300



2023.12.11 11:52:26 -05'00'

MilOSme

1630 Sliding Window - non ImpactFinless Installation to Concrete/CMU


MI Windows and Doors


702 W. Market St. Gratz, PA 17030

Drawing No.: 27488.05-1001 Project No.: 27488.05-107-16

Drawn By: MDS Rev: - Date: 12/11/23

Scale: NTS Sheet 8 of 9





COLD ROLLED STEEL (GALVANIZED)

This item has been digitally signed and sealed by Michael D. Stremmel, PE on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Michael D. Stremmel, PE FL PE 65868 FL REG 37122 1410 Eden Road York, PA 17402 717-916-6300



1630 Sliding Window - non Impact

Installation Accessories

MI Windows and Doors

702 W. Market St. Gratz, PA 17030

Drawing No.: 27488.05-1001 Project No.: 27488.05-107-16

Drawn By: MDS Rev: -Date: 12/11/23

Scale: NTS Sheet 9 of 9