CLIPPED ALUMINUM MULLION WINDOW FRAME MEMBER INCLUDED IN PROPERTIES

ZERO MULLION (22029) TO BE USED WITH SERIES 250 FIXED AND HORIZONTAL ROLLER WINDOWS 1 X 3 X 1/8 TUBE MULLION (57555) TO BE USED WITH CONTINENTAL PICTURE WINDOW, CASEMENT, PROJECTED WINDOWS, SERIES 250 PICTURE WINDOW, HORIZONTAL ROLLER AND SINGLE

FOR WINDOWS IMPACT AND LOAD RATINGS SEE CORRESPONDING FLORIDA PRODUCT APPROVALS LOWER DESIGN PRESSURE FROM WINDOW APPROVALS OR MULLION CHARTS WILL APPLY TO ENTIRE SYSTEM.

THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE 2020 (7TH EDITION)/2023 (8TH EDITION) FLORIDA BUILDING CODE INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).

ALL GLAZING PRODUCTS USED WITH THESE MULLIONS MUST MEET THE APPLICABLE BUILDING CODE REQUIREMENTS I.E: WIND LOAD, WATER INFILTRATION, FORCED ENTRY RESISTANCE, SAFEGUARDS ETC.

1BY OR 2BY WOOD BUCKS & BUCK FASTENERS BY OTHERS, MUST BE DESIGNED AND INSTALLED ADEQUATELY TO TRANSFER APPLIED PRODUCT LOADS TO THE BUILDING STRUCTURE.

ANCHORS SHALL BE CORROSION RESISTANT, SPACED AS SHOWN ON DETAILS AND INSTALLED PER MANUF'S INSTRUCTIONS. SPECIFIED EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.

A LOAD DURATION INCREASE IS USED IN DESIGN OF ANCHORS INTO WOOD ONLY.

ALL SHIMS TO BE HIGH IMPACT, NON-METALLIC AND NON-COMPRESSIBLE.

MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE 2020/2023 FLORIDA BLDG. CODE & ADOPTED STANDARDS.

THIS PRODUCT APPROVAL IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SITE SPECIFIC PROJECT, i.e. LIFE SAFETY OF THIS PRODUCT, ADEQUACY OF STRUCTURE RECEIVING THIS PRODUCT AND SEALING AROUND OPENING FOR WATER INFILTRATION RESISTANCE ETC.

CONDITIONS NOT SHOWN IN THIS DRAWING ARE TO BE ANALYZED SEPARATELY, AND TO BE REVIEWED BY BUILDING OFFICIAL.

DESIGN LOADS SHOWN ARE BASED ON 'ALLOWABLE STRESS DESIGN (ASD)'.

MANUFACTURER'S LABEL SHALL BE LOCATED ON A READILY VISIBLE LOCATION IN ACCORDANCE WITH SECTION 1709.9.3 OF FLORIDA BUILDING CODE. LABELING TO COMPLY WITH SECTION 1709.9.2.

MULLIONS MAY BE USED TO ATTACH TWO OR MORE WINDOWS TOGETHER

	INDEX OF DRAWING
SHEET NO.	DESCRIPTION
1	GENERAL NOTES, INSTRUCTIONS AND INDEX OF DRAWINGS
2	PARTS DRAWING
3	1 X 3 X 1/8" ALUM TUBE MULLION WITH SERIES CONTINENTAL/250 FRAMES
4	1 X 3 X 1/8" ALUM TUBE MULLION WITH SERIES CONTINENTAL/250 FRAMES
5	1 X 3 X 1/8" ALUM TUBE MULLION WITH SERIES CONTINENTAL/250 FRAMES
6	DESIGN LOAD CAPACITY TABLE 1 X 3 X 1/8" ALUM TUBE MULLION WITH SERIES CONTINENTAL/250 FRAMES
7	DESIGN LOAD CAPACITY TABLE ZERO MULLION WITH SERIES 250 FRAMES
8	ANCHORING DETAILS FOR 1 X 3 X1/8" ALUM TUBE AND ZERO MULLION AND SERIES CONTINENTLA/250 FRAMES

INSTRUCTIONS:

USE CHARTS AS FOLLOWS.

DETERMINE DESIGN LOAD REQUIRED PER ASCE 7 FOR PARTICULAR OPENING.

STEP 2 USE CONNECTION OF WINDOWS TO MULLION AS PER PRODUCT APPROVAL.

USING CHARTS ON SHEETS 6 AND 7 SELECT MULLION TYPE WITH DESIGN RATING MORE THAN

THE DESIGN LOAD SPECIFIED IN STEP 1 ABOVE. SELECT ANCHOR QUANTITIES ON SHEET 8

WITH ANCHOR TYPE AND SUBSTRATE DESIGN

CAPACITY OF SELECTED AIR MASTER WINDOWS AND MULLION MUST EQUAL OR EXCEED REQUIRED LOADS.

- ON THIS DOCUMENT.
- B-THIS PRODUCT EVALUATION DOCUMENT WILL BE CONSIDERED INVALID IF ALTERED BY ANY MEANS.
- SITE SPECIFIC PROJECTS SHALL BE PREPARED BY A FLORIDA REGISTERED ENGINEER OR ARCHITECT WHICH WILL BECOME THE ENGINEER OF RECORD (E.O.R.) FOR THE PROJECT AND WHO WILL BE RESPONSIBLE FOR THE PROPER USE OF THE P.E.D. ENGINEER OF RECORD, ACTING AS A DELEGATED ENGINEER TO THE P.E.D. ENGINEER SHALL SUBMIT TO THIS LATTER THE SITE SPECIFIC DRAWINGS FOR REVIEW.
- D- THIS P.E.D. SHALL BEAR THE DATE AND ORIGINAL SEAL AND SIGNATURE OF THE PROFESSIONAL ENGINEER OF RECORD THAT PREPARED IT.

A- CONTRACTOR TO BE RESPONSIBLE FOR THE SELECTION, PURCHASE AND INSTALLATION OF THIS PRODUCT BASED ON THIS PRODUCT EVALUATION PROVIDED HE/SHE DOES NOT DEVIATE FROM THE CONDITIONS DETAILED

No. 81223

Sealed: 10/16/2023

FL #26358

 AL-FAROOQ CORPORATION

 ENGINEERS & PRODUCT DEVELOPMENT

 9360 SUNSET DRIVE, SUITE 220

 MIAMI, FLORIDA 33173
 (C.A.N. 3538)

 TEL. (305) 264-8100
 FAX. (305) 262-6978

doors , P.R. 0061 (787) 623–1 ∇ SO MULLION AIR MA windows a P.O. Box 2097 Bu TEL. (787) 623-1800

ALUM CLIPPED

descript UPDATED T


þ P O 4

02-13-1/2" MLS <u>ئ</u>ا: 부 | 육


drawing no. M18 - 29


sheet 1 of 8


THESE MULLIONS ARE RATED FOR LARGE & SMALL MISSILE IMPACT





drawing no. M18 - 29sheet 2 of 8














250 PICTURE WINDOW TO 250 PICTURE WINDOW


CONT. PICTURE WINDOW TO CONT. PICTURE WINDOW





CASEMENT/ PROJECT OUT TO CONT. PICTURE WINDOW COMBINATION 12






COMBINATION 13

SEE SHEET 6 OF 8 FOR DESIGN LOAD CAPACITY

WIDTH (W) = $\frac{\text{W1 + W2}}{\text{W1 + W2}}$

TUBE MULLION SERIES CONTINENTAL/250 FRAMES

Sealed: 10/16/2023




AL-FAROOO CORPORATION		
ENGINEERS & PRODUCT DEVELOPMENT 9360 SUNSET DRIVE, SUITE 220	y.	
MIAMI, FLORIDA 33173 (C.A.N. 3538)	(
TEL. (305) 264-8100 FAX. (305) 262-6978)	
MULLION\M18-29AM	18-29AM	


AIR MAST windows and P.O. Box 2097 Barcelonetr TEL. (787) 623-1800, FAX.

CLIPPED ALUM MULLION

scale: 1/2"

₽ | 9 k






SINGLE HUNG TO 250 PICTURE WINDOW COMBINATION 14

DESIGN LOAD CAPACITY — PSF TUBE MULLION WITH ANY COMBINATION OF CONTINENTAL FIXED, CASEMENT PROJECTED WDW., 250 SINGLE HUNG, HORIZONTAL ROLLER AND PICTURE WINDOW								
WINDO	W DIMS.							
WIDTH (W)	MULL SPAN	COMBINATION 1, 3, 11, 14	COMBINATION 10	COMBINATION 8	COMBINATION 4, 5, 6	COMBINATION 7, 13	COMBINATION 9	COMBINATION 2, 12
36"		70.0	70.0	70.0	70.0	70.0	70.0	70.0
40"		70.0	70.0	70.0	70.0	70.0	70.0	70.0
44"	58"	70.0	70.0	70.0	70.0	70.0	70.0	70.0
48"	36	70.0	70.0	70.0	70.0	70.0	70.0	70.0
52"		70.0	70.0	70.0	70.0	70.0	70.0	70.0
56"		70.0	70.0	70.0	70.0	70.0	70.0	70.0
36"		70.0	70.0	70.0	70.0	70.0	70.0	70.0
40"		70.0	70.0	70.0	70.0	70.0	70.0	70.0
44"	60"	70.0	70.0	70.0	70.0	70.0	70.0	70.0
48"	60	70.0	70.0	70.0	70.0	70.0	70.0	70.0
52"		70.0	70.0	70.0	70.0	69.8	70.0	70.0
56"		70.0	70.0	70.0	70.0	65.5	70.0	70.0
36"		70.0	70.0	70.0	70.0	70.0	70.0	70.0
40"		68.2	70.0	70.0	70.0	70.0	70.0	70.0
44"	"	63.9	70.0	70.0	70.0	65.6	67.7	70.0
48"	66"	60.6	67.8	67.0	70.0	60.8	64.2	69.2
52"		58.1	65.1	62.4	70.0	56.7	61.6	66.4
56"		56.4	63.1	58.5	69.2	53.1	59.7	64.4
36"	72"	60.6	67.9	70.0	70.0	64.3	64.3	69.3
40"		55.8	62.4	64.9	68.5	58.9	59.1	63.7
44"		51.9	58.2	59.8	63.8	54.3	55.1	59.4
48"		49.0	54.8	55.5	60.1	50.3	51.9	55.9
52"		46.6	52.2	51.7	57.3	46.9	49.4	53.3
56"		44.8	50.2	48.4	55.0	43.9	47.5	51.2

WIDTH (W) = $\frac{\text{W1} + \text{W2}}{2}$


TUBE MULLION SERIES CONTINENTAL/250 FRAMES


Sealed: 10/16/2023




	AL-FAROOQ CORPOR ENGINEERS & PRODUCT DEVELO 9360 SUNSET DRIVE, SUITE 220 MIAMI, FLORIDA 33173 (C TEL. (305) 264-8100 FAX. (305)
	CLIPPED ALUM MULLION AIR MASTER windows and doors P.O. Box 2097 Barceloneta, P.R. 00617, TEL. (787) 623-1800, FAX. (787) 623-0087
0.7	revisions: no date by description
	date: 02-13-18 building scale: 1/2" = 1" dr. by: MLS chk. by:


M18 - 29sheet 6 of 8





HORIZONTAL ROLLER TO 250 PICTURE WINDOW COMBINATION 15





DESIGN LOAD CAPACITY — PSF ZERO MULLION WITH ANY COMBINATION OF 250 HORIZONTAL ROLLER AND PICTURE WINDOW							
WINDOV	V DIMS.						
WIDTH (W)	MULL SPAN	COMBINATION 15	COMBINATION 16				
36"	60"	73.7	73.7				
40"		73.7	73.7				
44"		73.7	73.7				
36"		73.7	73.7				
40"	63"	73.7	73.7				
44"		70.4	73.7				

WIDTH (W) = $\frac{\text{W1 + W2}}{2}$

ZERO MULLION
SERIES 250 FRAMES

Sealed: 10/16/2023



| AL-FAROOQ CORPORATION | ENGINEERS & PRODUCT DEVELOPMENT | 9360 SUNSET DRIVE, SUITE 220 | MIAMI, FLORIDA 33173 (C.A.N. 3538) | TEL. (305) 264-8100 FAX. (305) 262-6978 | (787) 623-0087

CLIPPED ALUM MULLION

no date by description

AIR MAST

windows and

P.O. Box 2097 Barcelonett

TEL. (787) 623-1800, FAX.

scale: 1/2" = 1"

dr. by: MLS

chk. by:

drawing no. M18-29

sheet 7 of 8

