




ARMOUR RIB 29 Ga. STEEL ROOF PANEL 36" WIDE, OVER 2x4 WOOD PURLINS



MAX DESIGN PRESSURE
-93.5 Psf



GENERAL NOTES:

1. ARMOUR RIB PANEL MAY BE INSTALLED DIRECTLY TO WOOD PURLINS, OR INSTALLED OVER EXISTING R-PANELS.
2. IF INSTALLED OVER EXISTING PANELS, THE EXISTING SCREWS AND ANY DEBRIS MUST BE REMOVED FROM THE EXISTING ROOF. ANY CORROSION IN THE EXISTING ROOF MUST BE TREATED WITH A RUST INHIBITOR PER FBC 1521.8.
3. ROOF SLOPE IS LIMITED PER THE REQUIREMENTS OF FBC SECTION 1507.4.2.
4. ALL PANEL SYSTEM PERIMETERS, PENETRATIONS, AND TRANSITIONS TO BE FLASHED AND SEALED PER THE REQUIREMENTS OF RAS 133.

10/11/23	DATE
8/10/22	REV.#
1ST SUBMITTAL	PRINTS ISSUED FOR
CODE UPDATE	

SCOTT WOLTERS
No 62354

STATE OF FLORIDA
PROFESSIONAL ENGINEER

SCOTT WOLTERS
No 62354

WOLTERS ENGINEERING
(COA# 27194)
15211 97TH ROAD N.
WEST PALM BEACH, FL 33418
(561) 225-1982

1ST COAST METAL ROOFING SUPPLY

186 STATE ROAD 207
EAST PALATKA, FL 32131
PH: (561) 629-7288
www.1stcoastmrs.com

1ST COAST
METAL ROOFING SUPPLY
DWG: 1CSR24WB
SHEET: 1/1