

JAMB SCREW INSTALLATION

JAMB SCREW INSTALLATION METHOD:

- UNIT MUST NOT BE IN DIRECT CONTACT WITH EITHER CONCRETE OR TREATED BUCK MATERIAL. IF SHIM SPACE IS LESS THAN 1/8\"/>

STRUCTURAL BRACKET INSTALLATION

STRUCTURAL BRACKET INSTALLATION METHOD:

- UNIT MUST NOT BE IN DIRECT CONTACT WITH EITHER CONCRETE OR TREATED BUCK MATERIAL. IF SHIM SPACE IS LESS THAN 1/8\"/>

TYPICAL GLAZING DETAIL

3/16\"/> ANNEALED OR TEMPERED MIN.
LAMINATED GLASS, SEE TABLE
1/2\"/> GLASS BITE

TYPE	LAMINATED GLASS MAKE UP
A	3.9mm(.156\") ANN + .090KURARAY SGP + 3.9mm(.156\") ANN

UNIT	MAX FRAME SIZE	DP RATING	GLASS OPTION
UL WD CSMNT P 1Z3	105 5/8 X 60 DR 60 X 105 5/8	+60/-60	TYPE A
UL WD CSMNT POP 1Z3	105 5/8 X 60 DR 60 X 105 5/8	+60/-60	TYPE A
UL WD CSMNT P 1Z3	72 X 77 7/16 DR 77 7/16 X 72	+65/-65	TYPE A
UL WD CSMNT POP 1Z3	72 X 77 7/16 DR 77 7/16 X 72	+65/-65	TYPE A

NOTES:

- THIS PRINT IS FOR STRUCTURAL PERFORMANCE ONLY. FOR FLASHING & SEALING INSTRUCTIONS, REFER TO THE INSTALLATION INSTRUCTIONS.
- SHIMS
-PLACE A SHIM WITHIN 4-6 INCHES OF EACH CORNER AND SPACE ALL OTHERS EVENLY A MAXIMUM OF 15\"/>
- IF CHEMICALLY TREATED LUMBER IS USED FOR BUCK MATERIAL, FASTENERS INTO THE BUCK MUST BE A MINIMUM OF 0.90 OZ/FT² ZINC HOT DIPPED GALVANIZED OR STAINLESS STEEL TYPE 304 OR 316.

ITEM NO	REF NO	DESCRIPTION
7		WOOD BUCK BY OTHERS
6		STRUCTURAL BRACKET
5		1 1/2\"/> SHEET METAL SCREW
4		#8 X 3.500 WOOD SCREW
3		#8 X .625 SCREW
2		SHIM
1		#8 X 3.000 WOOD SCREW

UNSPECIFIED TOLERANCES		PRODUCT	ULTIMATE CASEMENT
DECIMALS:	ANGLE DEG:	CATEGORY:	
XX ± .03	± .5	UNIT TYPE: UWCAP1Z3, UWCAPOI23	
XXX ± .012		DWG TYPE: INSTALLATION	
LINEAL:	FAB LINEAL:	DESCRIPTION: INSTALLATION	
+ .125	± N/A	CHK:	SIZE: B
-.000		CLASS:	DWG NO: 00065814
MATERIAL: N/A		APP:	SCALE: NA
		DATE:	10/21/09
		DWG BY:	BORNEMAN, SKIP
		SHEET:	1 OF 1

NOTICE - CONFIDENTIAL INFORMATION
 The information in this document is privileged and strictly confidential. The information contained herein shall be used only by Marvin Windows and Doors employees and by those agents or suppliers granted official written permission. If the reader of this document is not the intended recipient, or the employee or agent of the intended recipient, please delete this document from all data storage devices, and destroy all hard copies. Any unauthorized dissemination, distribution, copying or other use of the information contained in this document is strictly prohibited.