


NOTES:

1. Products and installations depicted satisfy the requirements of the Florida Building Code, Building 7th Edition (2020) for design wind pressures and overall sizes noted.
2. Wood bucks, wood framing, steel stud framing, concrete and concrete masonry are by others and shall be designed by the architect or engineer of record to resist the loads imparted to them.
3. Wood buck strips and wood frames are assumed S-P-F (G=0.42) or denser. Buck width shall be greater than the frame width. Tapered or partial width buck strips are not allowed.
4. Concrete masonry installations are assumed at least ASTM C90 normal weight hollow masonry units with a 1-1/4" wall thickness or normal weight concrete with a minimum compressive strength of $f'c = 3,000$ psi.
5. Metal frames are assumed to be a minimum 18 gauge 33 KSI steel or 0.093" thick 6063-T5 aluminum.
6. Wood screws shall be corrosion resistant and meet the requirements of ANSI/ASME B18.6.1
7. Tapcon masonry anchors shall have a minimum embedment of 1-1/2" or full penetration of concrete masonry unit shell. They shall also have a minimum of 2" edge distance. Install concrete masonry anchors per manufacturer's installation instructions.
8. TEKS screws shall be corrosion resistant and shall be ASTM A510 Grade 1018 or equivalent.
9. Maximum permitted shim thickness is 1/4". Shims shall be non-compressible and load bearing type. Every through-frame fastener shall have a shim.
10. Products are not impact resistant and require approved protection devices if used in wind-borne debris regions.
11. Not Approved for use in High Velocity Hurricane Zone (HVHZ).

CONTENTS:

- Sheet 1 Notes
- Sheet 2-3 Fin Installations
- Sheets 4-5 Frame Installations



**ASPECT/ENDURE AWNING WINDOW
(NON-IMPACT)
MAXIMUM SIZE: 48" X 32"
DESIGN PRESSURE: +55/-55 PSF**



FIN AND FRAME INSTALLATION

△ ANCHOR
(SEE SHEETS 2 TO 5)

IG GLAZING








Joseph A. Reed, PE
FL PE 58920
FL REG 33474
5 Leigh Dr.
York, PA 17406
717-846-1200

Joseph A. Reed

2021.08.04 11:41:06 -04'00'

Aspect/Endure Awning Notes	
ProVia LLC 2150 State Route 39 Sugar creek, OH 44681	
Drawing No.: 24425-1-1008 Project No.: 24425-1 Drawn By: JAR Rev: Date: 07/29/21	
Scale: NTS	Sheet 1 of 5




Joseph A. Reed, PE
 FL PE 58920
 FL REG 33474
 5 Leigh Dr.
 York, PA 17406
 717-846-1200

Joseph A. Reed


2021.08.04 11:41:06 -04'00'

Aspect/Endure Awning	
Fin Installations Wood	
ProVia LLC	
2150 State Route 39 Sugarcreek, OH 44681	
Drawing No.: 24425-1-1008 Project No.: 24425-1 Drawn By: JAR Rev: Date: 07/29/21	
Scale: NTS	Sheet 2 of 5

HEAD



JAMB



SILL






Joseph A. Reed, PE
 FL PE 58920
 FL REG 33474
 5 Leigh Dr.
 York, PA 17406
 717-846-1200

Joseph A. Reed





2021.08.04 11:41:06 -04'00'

Aspect/Endure Awning Fin Installations Metal	
ProVia LLC 2150 State Route 39 Sugarcreek, OH 44681	
Drawing No.: 24425-1-1008 Project No.: 24425-1 Drawn By: JAR Rev: Date: 07/29/21	
Scale: NTS	Sheet 3 of 5

HEAD



HEAD





Joseph A. Reed, PE
 FL PE 58920
 FL REG 33474
 5 Leigh Dr.
 York, PA 17406
 717-846-1200



Joseph A. Reed
 2021.08.04 11:41:06 -04'00'

Aspect/Endure Awning	
Frame Installations Wood and Metal	
ProVia LLC	
2150 State Route 39 Sugarcreek, OH 44681	
Drawing No.: 24425-1-1008 Project No.: 24425-1 Drawn By: JAR Rev: Date: 07/29/21	
Scale: NTS	Sheet 4 of 5



HEAD



HEAD




JAMB



JAMB

CONCRETE OR CMU (SEE NOTE 4)



Joseph A. Reed, PE
 FL PE 58920
 FL REG 33474
 5 Leigh Dr.
 York, PA 17406
 717-846-1200

Joseph A. Reed

2021.08.04 11:41:06 -04'00'

Aspect/Endure Awning	
Frame Installations	
Concrete and CMU	
ProVia LLC	
2150 State Route 39	
Sugarcreek, OH 44681	
Drawing No.: 24425-1-1008	
Project No.: 24425-1	
Drawn By: JAR	Rev: Date: 07/29/21
Scale: NTS	Sheet 5 of 5