


NAIL FIN INSTALLATION



Max Frame	DP RATING	IMPACT
36 x 72	+65/-70	NO

Installation Notes:

1. Seal flange/frame to substrate.
2. Use #10 PH or greater fastener through the nail fin with sufficient length to penetrate a minimum of 1 1/2" into the wood framing. For 2X wood frame substrate (min. S.G. = 0.42).
3. Host structure (wood buck, masonry, steel) to be designed and anchored to properly transfer all loads to the structure. The host structure is the responsibility of the architect or engineer of record for the project of installation.

Addendum to NAMI

Certification No: NI011567.09-R2

Reviewed By: *Deo*

Date Reviewed: 07/25/2017

This schedule addresses only the fasteners required to anchor the window to achieve the rated design pressure up to the size limitations noted. It is not intended as a guide to the installation process and does not address the sealing consideration that may arise in different wall conditions. For the complete installation procedure, see the instructions packaged with the window or go to www.jeld-wen.com/resources/installation.



DISCLAIMER:

This drawing and its contents are confidential and are not to be reproduced or copied in whole or in part or used or disclosed to others except as authorized by JELD-WEN Inc.


General Notes:

1. The product shown herein is designed, tested and manufactured to comply with the wind load criteria of the adopted International Building Code (IBC), the International Residential Code (IRC), the Florida Building Code (FBC) and the industry requirement for the stated conditions.
2. All glazing shall conform to ASTM E1300.
3. At minimum, glazing shall be 3.0mm annealed insulating glass.
4. Use structural or composite shims where required.

'AS TESTED'	PROJECT ENGINEER: --	DATE: 07/24/2017	JELD-WEN	3250 Lakeport Blvd Klamath Falls, OR. 97601 Phone: (541) 882-3451	
	DRAWN BY: J.HAWKINS	SCALE: NTS		Premium Atlantic Vinyl Single Hung Window	
	CHECKED BY: D.BELAU	TITLE:			
	APPROVED BY: J.GOSSSEN				
	PART/PROJECT No.: D014587	PLANT NAME AND LOCATION: NCTL 210-3877-1		CAD DWG. No.: PremATLVinylSH Cert	REV: A



THROUGH FRAME
INSTALLATION



Max Frame 36 x 72	DP RATING +65/-70	IMPACT NO
----------------------	----------------------	--------------

Installation Notes:

1. Seal flange/frame to substrate.
2. Use #10 PH or greater fastener through the frame with sufficient length to penetrate a minimum of 1 1/2" into the wood framing. For 2X wood frame substrate (min. S.G. = 0.42).
3. Host structure (wood buck, masonry, steel) to be designed and anchored to properly transfer all loads to the structure. The host structure is the responsibility of the architect or engineer of record for the project of installation.

Addendum to NAMI

Certification No: NI011567.09-R2

Reviewed By: *[Signature]*

Date Reviewed: 07/25/2017

This schedule addresses only the fasteners required to anchor the window to achieve the rated design pressure up to the size limitations noted. It is not intended as a guide to the installation process and does not address the sealing consideration that may arise in different wall conditions. For the complete installation procedure, see the instructions packaged with the window or go to www.jeld-wen.com/resources/installation.

DISCLAIMER:

This drawing and its contents are confidential and are not to be reproduced or copied in whole or in part or used or disclosed to others except as authorized by JELD-WEN Inc.

General Notes:

1. The product shown herein is designed, tested and manufactured to comply with the wind load criteria of the adopted International Building Code (IBC), the International Residential Code (IRC), the Florida Building Code (FBC) and the industry requirement for the stated conditions.
2. All glazing shall conform to ASTM E1300.
3. At minimum, glazing shall be 3.0mm annealed insulating glass.
4. Use structural or composite shims where required.

'AS TESTED'	PROJECT ENGINEER: --	DATE: 07/24/2017	JELD-WEN	3250 Lakeport Blvd Klamath Falls, OR. 97601 Phone: (541) 882-3451	
	DRAWN BY: J.HAWKINS	SCALE: NTS		Premium Atlantic Vinyl Single Hung Window	
	CHECKED BY: D.BELAU	TITLE:			
	APPROVED BY: J.GOSSSEN				
	PART/PROJECT No.:				
D014587	PLANT NAME AND LOCATION:	CAD DWG. No.:	REV:	SHEET	
IDENTIFIER No.:	110-16-135	PremATLVinylSH Cert	A	2 OF 4	