



KA 4016 ALUMINUM TILT TURN WINDOW LARGE MISSILE IMPACT



GENERAL NOTES:

- THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE 8TH EDITION (2023) INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).
- WINDOW IS DESIGNED TO BE USED AT LARGE MISSILE AREA.
- WINDOWS ARE APPROVED FOR AIR RESISTANCE AND WATER RESISTANCE.
- ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS. ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.
- ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.
- MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE FLORIDA BUILDING CODE 8TH EDITION 2023 SECTION AS APPLICABLE.
- WOOD BUCKS/METAL STRUCTURES BY OTHERS TO BE DESIGNED TO SUPPORT THE LOADS IMPOSED BY THIS GLAZING SYSTEM AND TO TRANSFER SUCH LOADS TO THE BUILDING MAIN STRUCTURE.
- ULTIMATE LOAD OBTAINED FROM ASCE 7-22, MULTIPLY BY 0.6 SHALL BE LESS THAN OR EQUAL TO MAX. DESIGN LOAD IN THIS DOCUMENT. THE DESIGN LOADS SHOWN IN THIS DOCUMENT ARE ALLOWABLE DESIGN LOADS.
- MANUFACTURER'S LABEL SHALL BE LOCATED ON A READILY VISIBLE LOCATION IN ACCORDANCE WITH SECTION 1709.9.3 OF FLORIDA BUILDING CODE LABELING TO COMPLY WITH SECTION 1709.9.2.
- NOTE: HARDWARE CHECKED FOR WIND LOAD IN CLOSED POSITION ONLY; OPERATION PER MANUFACTURER'S INSTRUCTIONS. WINDOWS MUST BE CLOSED AND SECURED WHEN A HURRICANE WARNING IS ISSUED.

INSTRUCTIONS:

USE CHARTS AS FOLLOWS.

- STEP 1:** DETERMINE DESIGN WIND LOAD REQUIREMENTS BASED ON WIND VELOCITY, BLDG. HEIGHT, WIND ZONE USING APPLICABLE ASCE 7-22 STANDARD.
- STEP 2:** SEE TYPICAL ELEVATION ON SHEET E I FOR MAXIMUM SIZES AND DESIGN LOADS.
- STEP 3:** SEE ANCHOR TYPES ON SHEET A1 & A2. SEE SHEET E I FOR ANCHOR SPACING.
- STEP 4:** THE LOWEST VALUE RESULTING FROM STEPS 2 THAT EXCEED THE DESIGN WIND PRESSURES DETERMINED THRU STEP 1 SHALL APPLY TO ENTIRE SYSTEM.

NOTE:
GLASS COMPLIES WITH ASTM E 1300-09
(3 SEC. GUSTS)

ABBREVIATIONS AND SYMBOLS	
D.L.O. - DAYLITE OPENING	CL - CENTER LINE
F.H. - FRAME HEIGHT	S.S. - STAINLESS STEEL
F.W. - FRAME WIDTH	H.S. - HEAT STRENGTHENED
LG. - LONG	SSG - STRUCTURAL SILICONE
STL. - STEEL	GLAZED
ALUM. - ALUMINUM	TEMP. - TEMPERED
MULL. - MULLION	O.C. - ON CENTER
HORIZ. - HORIZONTAL	SECTION NUMBER
W/ - WITH	
W/O - WITHOUT	
VERT. - VERTICAL	
G.B. - GLASS BITE	SHEET NUMBER

LIMITATIONS OF USE	
A- THIS PRODUCT EVALUATION DOCUMENT (P.E.D.) PREPARED BY THIS ENGINEER IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SITE SPECIFIC PROJECT; i.e. WHERE THE SITE CONDITIONS DEVIATE FROM THE P.E.D.	
B- CONTRACTOR TO BE RESPONSIBLE FOR THE SELECTION, PURCHASE AND INSTALLATION OF THIS PRODUCT BASED ON THIS PRODUCT EVALUATION PROVIDED HERE/SHE DOES NOT DEVIATE FROM THE CONDITIONS DETAILED ON THIS DOCUMENT.	
C- THIS PRODUCT EVALUATION DOCUMENT WILL BE CONSIDERED INVALID IF ALTERED BY ANY MEANS.	
D- SITE SPECIFIC PROJECTS SHALL BE PREPARED BY A FLORIDA REGISTERED ENGINEER OR ARCHITECT WHICH WILL BECOME THE ENGINEER OF RECORD (E.O.R.) FOR THE PROJECT AND WHO WILL BE RESPONSIBLE FOR THE PROPER USE OF THE P.E.D.	
E- THIS P.E.D. SHALL BEAR THE DATE AND ORIGINAL SEAL AND SIGNATURE OF THE PROFESSIONAL ENGINEER OF RECORD THAT PREPARED IT.	

FL#48029.1

YIPING WANG
REGISTERED PROFESSIONAL ENGINEER
FLORIDA
No 55983
C.A.N. 28677

February 13th, 2026

MCY ENGINEERING, INC.
GLAZING CONSULTANTS

12781 MIRAMAR PARKWAY #301
MIRAMAR, FL 33027 P: 305.588.5224
www.MCYEngineering.com mcy@mcyengineering.com

KA 4016 ALUMINUM TILT TURN WINDOW - L.M.I.





UNIK FENESTRATION
KM 8.5 VIA DURAN TAMBO
GUAYAS, ECUADOR
https://www.vetrikoeec.com

Rev. No.	Date	Drawn By	Description

DRAWING NO.
AD26-06A

COVER

Sheet No.
1 OF 10



FL#48029.1


February 13th, 2026

MCY ENGINEERING, INC.
 GLAZING CONSULTANTS
 12781 MIRAMAR PARKWAY #301
 MIRAMAR, FL 33027 P: 305.588.5224
 www.MCYEngineering.com mcy@mcyengineering.com


KA 4016 ALUMINUM TILT TURN WINDOW - L.M.I.
UNIK FENESTRATION
 KM 8.5 VIA DURAN TAMBO
 GUAYAS, ECUADOR
<https://www.yetrikoeec.com>

Rev. No.	Date	Drawn By	Description

Drawn Date: 02.03.2026 Scale:
 DRAWING NO. AD26-06A
 Sheet No. A2
 4 OF 10



A
DI




B
DI

FL#48029.1

February 13th, 2026

KA 4016 ALUMINUM TILT TURN WINDOW - L.M.I. UNIK FENESTRATION KM 8.5 VIA DURAN TAMBO GUAYAS, ECUADOR https://www.vetrikoeec.com		MCY ENGINEERING, INC. GLAZING CONSULTANTS 12781 MIRAMAR PARKWAY #301 MIRAMAR, FL 33027 P: 305.588.5224 www.MCYEngineering.com	
Drawn Date	Scale	Drawn By	Description
02.03.2026			
DRAWING NO.		Rev. No.	
AD26-06A			
Sheet No.			
5 OF 10			




TYPICAL ANCHOR
SEE SHEET A1. SEE
ELEVATION FOR
SPACING

TYPICAL ANCHOR
SEE SHEET A1. SEE
ELEVATION FOR
SPACING

C
D2
DETAIL


D
D2
DETAIL

WINDOW WALL/STOREFRONT
REFER TO SEPARATE APPROVAL



E
D2
DETAIL

FL#48029.1



KA 4016 ALUMINUM TILT TURN WINDOW - L.M.I.

UNIK FENESTRATION

KM 8.5 VIA DURAN TAMBO
GUAYAS, ECUADOR

https://www.vetrikoeec.com

MCY ENGINEERING, INC.

GLAZING CONSULTANTS

12781 MIRAMAR PARKWAY #301
MIRAMAR, FL 33027 P: 305.588.5224

www.MCYEngineering.com mcy@mcyengineering.com


Rev. No.	Date	Drawn By	Description

Drawn Date: 02.03.2026 Scale:

DRAWING NO. AD26-06A


D2

Sheet No. 6 OF 10



F
D3


DETAIL



G
D3

DETAIL

FL#48029.1



KA 4016 ALUMINUM TILT TURN WINDOW - L.M.I.

UNIK FENESTRATION

KM 8.5 VIA DURAN TAMBO
GUAYAS, ECUADOR

https://www.vetrikoeec.com



MCY ENGINEERING, INC.
GLAZING CONSULTANTS

12781 MIRAMAR PARKWAY #301
MIRAMAR, FL 33027 P: 305.588.5224

www.MCYEngineering.com mcy@mcyengineering.com


Rev. No.	Date	Drawn By	Description

Drawn Date: 02.03.2026

DRAWING NO. AD26-06A

D3

Sheet No. 7 OF 10



CASEMENT HARDWARE

FL#48029.1


KA 4016 ALUMINUM TILT TURN WINDOW - L.M.I.
 UNIK FENESTRATION
 KM 8.5 VIA DURAN TAMBO
 GUAYAS, ECUADOR
<https://www.vetrikoecc.com>

MCY ENGINEERING, INC.
 GLAZING CONSULTANTS
 12781 MIRAMAR PARKWAY #301
 MIRAMAR, FL 33027 P: 305.588.5224
www.MCYEngineering.com mcy@mcyengineering.com


Rev. No.	Date	Drawn By	Description

Drawn Date: 02.03.2026 Scale: DRAWING NO. AD26-06A

HWR
 Sheet No. 8 OF 10




① FRAME JAMB
DC-1001/1002 ALUM. 6063-T6




② SASH
DC-1003 ALUM. 6063-T6



③ GLASS COVER
DC-1004 ALUM. 6063-T6




④ GLASS COVER
DC-1084 ALUM. 6063-T6



⑮ MULLION
DC-1010/1011 ALUM. 6063-T6

BILL OF MATERIALS

ITEM	PART	DESCRIPTION	MATERIAL	REMARKS
1	DC1001/1002	FRAME JAMB	ALUM. 6063-T6	FISA
2	DC-1003	SASH	ALUM. 6063-T6	FISA
3	DC-1004	GLASS COVER	ALUM. 6063-T6	FISA
4	DC-1084	GLASS COVER	ALUM. 6063-T5	FISA
5	AC-E-022	EXTERIOR GASKET	EPDM	PRICAL
6	AC-E-KA-01	GLASS SPACER FOR STRUCTURAL SILICONE	PLASTIC	PRICAL
7	AC-E-019	WINDOW EXTERIOR GASKET	EPDM	PRICAL
8	AC-E-030	CENTRAL GASKET	EPDM	PRICAL
9	FI-5210,5209,4026	ALUMINUM CORNER JOINT	ALUM. ALLOY	FISA
10	SG-20/SG-500 /DOWSIL 983/DOWSIL 995	STRUCTURAL SILICONE	SILICONE	SIKA
11	AC-E-026	INTERIOR GASKET	EPDM	PRICAL
12	AC-E-025	INTERIOR GASKET	EPDM	PRICAL
13	2005287	WINDOW HIDDEN HINGE	STAINLESS STEEL	ROTO
14	CRM-VITAL	WINDOW HANDLE	STAINLESS STEEL	ROTO
15	DC-1010/1011	MULLION	ALUM. 6063-T6	FISA



MCY ENGINEERING, INC.
GLAZING CONSULTANTS
12781 MIRAMAR PARKWAY #301
MIRAMAR, FL 33027 P: 305.588.5224
www.MCYEngineering.com mcy@mcyengineering.com

KA 4016 ALUMINUM TILT TURN WINDOW - L.M.I.
UNIK FENESTRATION
KM 8.5 VIA DURAN TAMBO
GUAYAS, ECUADOR
https://www.vettrikoec.com

FL#48029.1

YIPING WANG
REGISTERED PROFESSIONAL ENGINEER
STATE OF FLORIDA
LICENSE NO. 55983
February 13th, 2026


Rev. No.	Date	Drawn By	Description

Drawn Date: 02.03.2026 Scale: AD26-06A

DRAWING NO. AD26-06A

PARTS

Sheet No. 9 OF 10



WINDOW FRAME AND SASH CORNER

FL#48029.1

YIPING WANG
 ENGINEER REGISTRATION
 No 55983
 STATE OF FLORIDA
 PROFESSIONAL ENGINEER

February 13th, 2026

Rev. No.	Date	Drawn By	Description

Drawn Date	Scale
02.03.2026	
DRAWING NO.	
AD26-06A	
ISO	
Sheet No.	
10 OF 10	

MCY ENGINEERING, INC.
 GLAZING CONSULTANTS

M C Y

12781 MIRAMAR PARKWAY #301
 MIRAMAR, FL 33027 P: 305.588.5224
 www.MCYEngineering.com mcy@mcyengineering.com

KA 4016 ALUMINUM TILT TURN WINDOW - L.M.I.

UNIK FENESTRATION
 KM 8.5 VIA DURAN TAMBO
 GUAYAS, ECUADOR
<https://www.vetrikoeec.com>