


KA 4016 ALUMINUM TILT TURN WINDOW SMALL MISSILE IMPACT



G3 9/16" NOMINAL OVERALL
LAMINATED GLASS

G4 1 5/16" NOMINAL OVERALL
INSULATING LAMINATED GLASS

GENERAL NOTES:


- THIS PRODUCT HAS BEEN DESIGNED AND TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE 8TH EDITION (2023) INCLUDING HIGH VELOCITY HURRICANE ZONE (HVHZ).
- WINDOW IS DESIGNED TO BE USED AT SMALL MISSILE AREA.
- WINDOWS ARE RATED FOR SMALL MISSILE IMPACT. IMPACT SHUTTERS ARE REQUIRED FOR INSTALLATIONS UP TO 30 FT OF GRADE. SHUTTERS ARE NOT REQUIRED FOR INSTALLATIONS ABOVE 30 FT OF GRADE.
- WINDOWS ARE APPROVED FOR AIR RESISTANCE AND WATER RESISTANCE.
- ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS. ANCHORS EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.
- ANCHORING OR LOADING CONDITIONS NOT SHOWN IN THESE DETAILS ARE NOT PART OF THIS APPROVAL.
- MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE FLORIDA BUILDING CODE 8TH EDITION 2023 SECTION AS APPLICABLE.
- WOOD BUCKS/METAL STRUCTURES BY OTHERS TO BE DESIGNED TO SUPPORT THE LOADS IMPOSED BY THIS GLAZING SYSTEM AND TO TRANSFER SUCH LOADS TO THE BUILDING MAIN STRUCTURE.
- ULTIMATE LOAD OBTAINED FROM ASCE 7-22, MULTIPLY BY 0.6 SHALL BE LESS THAN OR EQUAL TO MAX. DESIGN LOAD IN THIS DOCUMENT. THE DESIGN LOADS SHOWN IN THIS DOCUMENT ARE ALLOWABLE DESIGN LOADS.
- MANUFACTURER'S LABEL SHALL BE LOCATED ON A READILY VISIBLE LOCATION IN ACCORDANCE WITH SECTION 1709.9.3 OF FLORIDA BUILDING CODE LABELING TO COMPLY WITH SECTION 1709.9.2.
- NOTE: HARDWARE CHECKED FOR WIND LOAD IN CLOSED POSITION ONLY; OPERATION PER MANUFACTURER'S INSTRUCTIONS. WINDOWS MUST BE CLOSED AND SECURED WHEN A HURRICANE WARNING IS ISSUED.

INSTRUCTIONS:

- USE CHARTS AS FOLLOWS.
- STEP 1:** DETERMINE DESIGN WIND LOAD REQUIREMENTS BASED ON WIND VELOCITY, BLDG. HEIGHT, WIND ZONE USING APPLICABLE ASCE 7-22 STANDARD.
 - STEP 2:** SEE TYPICAL ELEVATION ON SHEET E1 FOR MAXIMUM SIZES AND DESIGN LOADS.
 - STEP 3:** SEE ANCHOR TYPES ON SHEET A1 & A2. SEE SHEET E1 FOR ANCHOR SPACING.
 - STEP 4:** THE LOWEST VALUE RESULTING FROM STEPS 2 THAT EXCEED THE DESIGN WIND PRESSURES DETERMINED THRU STEP 1 SHALL APPLY TO ENTIRE SYSTEM.

NOTE:
GLASS COMPLIES WITH ASTM E1300-09
(3 SEC. GUSTS)

ABBREVIATIONS AND SYMBOLS	
D.L.O. - DAYLITE OPENING	CL - CENTER LINE
F.H. - FRAME HEIGHT	S.S. - STAINLESS STEEL
F.W. - FRAME WIDTH	H.S. - HEAT STRENGTHENED
LG. - LONG	SSG - STRUCTURAL SILICONE GLAZED
STL. - STEEL	TEMP. - TEMPERED
ALUM. - ALUMINUM	O.C. - ON CENTER
MULL. - MULLION	SECTION NUMBER
HORIZ. - HORIZONTAL	
W/ - WITH	
W/O - WITHOUT	
VERT. - VERTICAL	
G.B. - GLASS BITE	



LIMITATIONS OF USE

- A- THIS PRODUCT EVALUATION DOCUMENT (P.E.D.) PREPARED BY THIS ENGINEER IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SITE SPECIFIC PROJECT; I.E. WHERE THE SITE CONDITIONS DEVIATE FROM THE P.E.D.
- B- CONTRACTOR TO BE RESPONSIBLE FOR THE SELECTION, PURCHASE AND INSTALLATION OF THIS PRODUCT BASED ON THIS PRODUCT EVALUATION PROVIDED HE/SHE DOES NOT DEVIATE FROM THE CONDITIONS DETAILED ON THIS DOCUMENT.
- C- THIS PRODUCT EVALUATION DOCUMENT WILL BE CONSIDERED INVALID IF ALTERED BY ANY MEANS.
- D- SITE SPECIFIC PROJECTS SHALL BE PREPARED BY A FLORIDA REGISTERED ENGINEER OR ARCHITECT WHICH WILL BECOME THE ENGINEER OF RECORD (E.O.R.) FOR THE PROJECT AND WHO WILL BE RESPONSIBLE FOR THE PROPER USE OF THE P.E.D.
- E- THIS P.E.D. SHALL BEAR THE DATE AND ORIGINAL SEAL AND SIGNATURE OF THE PROFESSIONAL ENGINEER OF RECORD THAT PREPARED IT.





FL#48029.2

MCY ENGINEERING, INC.
GLAZING CONSULTANTS
12781 MIRAMAR PARKWAY #301
MIRAMAR, FL 33027 P: 305.588.5224
www.MCYEngineering.com mcy@mcyengineering.com

KA 4016 ALUMINUM TILT TURN WINDOW - S.M.I.
UNIK FENESTRATION
KM 8.5 VIA DURAN TAMBO
GUAYAS, ECUADOR
https://www.veptrikoec.com

Rev. No.	Date	Description

Drawn Date: 02.03.2026 Scale: Drawing No. AD26-06B
Sheet No. 1 OF 10



ANCHOR TYPES:

TYPE "A": 1/4" DIA. ULTRACON+ BY DEWALT (Fu=164 KSI, Fy=148 KSI) INTO 2X WOOD BUCK OR WOOD STRUCTURE WITH 1 1/2" MIN. EMBED PENETRATION.

THRU 1X WOOD BUCK INTO CONCRETE WITH 1 3/4" EMBED

THRU 1X WOOD BUCK INTO HOLLOW BLOCK WITH 1 1/4" EMBED OR GROUT FILLED BLOCK WITH 1 3/4" EMBED. (JAMB ONLY)

TYPE "B": 1/4" DIA. ULTRACON+ BY DEWALT (Fu=164KSI, Fy=148KSI) 1 3/4" MIN. EMBED INTO CONCRETE





OR 1 1/4" EMBED INTO HOLLOW BLOCK (JAMB ONLY) OR 1 3/4" EMBED INTO GROUT FILLED BLOCK (JAMB ONLY)

TYPE "C": 1/4" SMS OR TEKS (GRADE 5) (Fu=120 KSI, Fy=92 KSI) INTO FBC APPROVED MULLIONS OR METAL STRUCTURES. (3) THREADS MIN. PENETRATION BEYOND METAL SUBSTRATE.

ANCHOR EDGED DISTANCE:
 INTO CONCRETE & MASONRY= 2 1/2" MIN.
 INTO WOOD STRUCTURE = 1" MIN.
 INTO METAL = 3/4"

CONCRETE f'c=3KSI MIN.
 C-90 HOLLOW /FILLED BLOCK AT JAMB fm'=2000 PSI MIN.
 WOOD SG=0.55 MIN.
 ALUMINUM: 1/8" THK. MIN. (6063-T5. MIN.)
 STEEL: 12GA MIN. OR 1/8" THK. MIN. ASTM A36 (Fy=36ksi) MIN.
 (STEEL IN CONTACT WITH ALUMINUM TO BE ISOLATED OR PAINTED.)

NOTE:
 WOOD BUCKS/METAL STRUCTURES BY OTHERS TO BE DESIGNED TO SUPPORT THE LOADS IMPOSED BY THIS GLAZING SYSTEM AND TO TRANSFER SUCH LOADS TO THE BUILDING MAIN STRUCTURE.



Rev. No.	Date	Drawn By	Description





Drawn Date 02.03.2026	Scale
DRAWING NO. AD26-06B	
Sheet No. A1	
3 OF 10	

FL#48029.2


YIPING WANG
 ENGINEER REGISTRATION
 No 55983
 C.A.N. 28037

STATE OF FLORIDA
 PROFESSIONAL ENGINEER

February 13th, 2026



FL#48029.2



KA 4016 ALUMINUM TILT TURN WINDOW - S.M.I.

UNIK FENESTRATION

KM 8.5 VIA DURAN TAMBO
GUAYAS, ECUADOR

<https://www.yetrikoecc.com>

Rev. No.	Date	Drawn By	Description

Drawn Date: 02.03.2026 Scale: DRAWING NO.:

AD26-06B

A2


Sheet No. 4 OF 10

MCY ENGINEERING, INC.
GLAZING CONSULTANTS


MCY

12781 MIRAMAR PARKWAY #301
MIRAMAR, FL 33027 P: 305.588.5224

www.MCYEngineering.com mcy@mcyengineering.com




F
D3
DETAIL



G
D3
DETAIL

FL#48029.2




MCY ENGINEERING, INC.
GLAZING CONSULTANTS
12781 MIRAMAR PARKWAY #301
MIRAMAR, FL 33027 P: 305.588.5224
www.MCYEngineering.com mcy@mcyengineering.com


KA 4016 ALUMINUM TILT TURN WINDOW - S.M.I.
UNIK FENESTRATION
KM 8.5 VIA DURAN TAMBO
GUAYAS, ECUADOR
https://www.vetrikoeec.com

Rev. No.	Date	Drawn By	Description

Drawn Date: 02.03.2026
Scale: DRAWING NO.: AD26-06B
Sheet No.: D3
7 OF 10




① FRAME JAMB
DC-1001/1002 ALUM. 6063-T6




② SASH
DC-1003 ALUM. 6063-T6



③ GLASS COVER
DC-1004 ALUM. 6063-T6



④ GLASS COVER
DC-1084 ALUM. 6063-T6



⑮ MULLION
DC-1010/1011 ALUM. 6063-T6

BILL OF MATERIALS

ITEM	PART	DESCRIPTION	MATERIAL	REMARKS
1	DC1001/1002	FRAME JAMB	ALUM. 6063-T6	FISA
2	DC-1003	SASH	ALUM. 6063-T6	FISA
3	DC-1004	GLASS COVER	ALUM. 6063-T6	FISA
4	DC-1084	GLASS COVER	ALUM. 6063-T5	FISA
5	AC-E-022	EXTERIOR GASKET	EPDM	PRICAL
6	AC-E-KA-01	GLASS SPACER FOR STRUCTURAL SILICONE	PLASTIC	PRICAL
7	AC-E-019	WINDOW EXTERIOR GASKET	EPDM	PRICAL
8	AC-E-030	CENTRAL GASKET	EPDM	PRICAL
9	FI-5210,5209,4026	ALUMINUM CORNER JOINT	ALUM. ALLOY	FISA
10	SG-20/SG-500 /DOWSIL 983/DOWSIL 995	STRUCTURAL SILICONE	SILICONE	SIKA
11	AC-E-026	INTERIOR GASKET	EPDM	PRICAL
12	AC-E-025	INTERIOR GASKET	EPDM	PRICAL
13	2005287	WINDOW HIDDEN HINGE	STAINLESS STEEL	ROTO
14	CRM-VITAL	WINDOW HANDLE	STAINLESS STEEL	ROTO
15	DC-1010/1011	MULLION	ALUM. 6063-T6	FISA

MCY ENGINEERING, INC.
GLAZING CONSULTANTS
12781 MIRAMAR PARKWAY #301
MIRAMAR, FL 33027 P: 305.588.5224
www.MCYEngineering.com mcy@mcyengineering.com

KA 4016 ALUMINUM TILT TURN WINDOW - S.M.I.
UNIK FENESTRATION
KM 8.5 VIA DURAN TAMBO
GUAYAS, ECUADOR
https://www.vettrikoec.com

Rev. No.	Date	Drawn By	Description

FL#48029.2

YIPING WANG
REGISTERED PROFESSIONAL ENGINEER
FLORIDA
No 55983
C.A.N. 28877


February 13th, 2026

Drawn Date: 02.03.2026 Scale:

DRAWING NO. AD26-06B

PARTS

Sheet No. 9 OF 10



WINDOW FRAME AND SASH CORNER

FL#48029.2

YIPING WANG
 ENGINEER REGISTRATION
 No 55983
 STATE OF FLORIDA
 PROFESSIONAL ENGINEER

February 13th, 2026

Rev. No.	Date	Drawn By	Description

Drawn Date: 02.03.2026

Scale:

DRAWING NO. AD26-06B

ISO

Sheet No. 10 OF 10

KA 4016 ALUMINUM TILT TURN WINDOW - S.M.I.

UNIK FENESTRACION

KM 8.5 VIA DURAN TAMBO
 GUAYAS, ECUADOR

https://www.vetrikoecc.com

MCY ENGINEERING, INC.
 GLAZING CONSULTANTS

12781 MIRAMAR PARKWAY #301
 MIRAMAR, FL 33027 P: 305.588.5224

www.MCYEngineering.com mcy@mcyengineering.com