



UNIT	MAX FRAME SIZE	DP RATING
ELDH	41-1/2 X 67-3/4	+40/-40
ELDH	41-1/2 X 75-3/4	+50/-50
ELDH	41-1/2 X 83 3/4	+40/-40
ELDH	53-1/2 X 75-3/4	+40/-40
ELDH HP	53-1/2 X 75-3/4	+50/-50
ELDH	53-1/2 X 83-3/4	+35/-35
ELDH HP	53-1/2 X 83 3/4	+40/40

ITEM	DWG NO	DESCRIPTION
4	NA	2.00" GAL. ROOF NAIL
3	NA	SHIMS
2	NA	FRAMING
1	NA	SHEATHING

PARTS LIST

**MARVIN** RESEARCH & DEVELOPMENT

COLLECTION: ELEVATE

DWG TYPE: INSTALLATION  
DESCRIPTION: INSTALLATION METHODS/ELEVATIONS/NAIL FIN

CHK:	SIZE: B	CLASS: MISC	DWG NO: 00052745
APP:	SCALE: 1 : 2.5	DATE: 11/19/2007	DWG BY: HEPPNER, CALEB SHEET: 1 OF 2

14	UPDATED FS ON ROW 4 & 5 ON SIZE CHART			CH
13	ADDED GLAZING DETAIL AND SIZE CHART	27575	8/16/2023	JH
REV	DESCRIPTION / REQUESTOR	ECN NO	DATE	REV BY

**NOTICE - CONFIDENTIAL INFORMATION**  
The information in this document is privileged and strictly confidential. The information contained herein shall be used only by Marvin employees and by those agents or suppliers granted official written permission. If the reader of this document is not the intended recipient, or the employee or agent of the intended recipient, please delete this document from all data storage devices, and destroy all hard copies. Any unauthorized dissemination, distribution, copying or other use of the information contained in this document is strictly prohibited.