



December 18, 2024

Product Approval Administrator
DBPR Codes and Standards
2601 Blair Stone Road
Tallahassee, FL 32399


Regarding: Corrim Company, LLC
Fiberglass Outswing Door – FL #14311.1 – EX # 23-62474

To Whom It May Concern:

This office has reviewed test report(s) showing structural performance of the above-noted product(s). These test report(s) pertain to testing performed in accordance with the referenced standard(s) in the table shown below. The noted standard(s) are not adopted in the Florida Building Code Eighth Edition (2023); however, for the purpose of determining the performance of the product, the standard(s) are equivalent to the corresponding standard(s), which are adopted in the above-referenced building code.

Code Title	Tests Performed according to:	Current Equivalent Standard
Practice for Operating Xenon Arc Light Apparatus for Exposure of Nonmetallic Materials	ASTM G26	ASTM G155—13
Test Method for Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position	ASTM D635—03	ASTM D635—14
Standard Test Method for Determining Ignition Temperature of Plastics	ASTM D1929—96	ASTM D1929—16
Standard Test Method for Density of Smoke from the Burning or Decomposition of Plastics	ASTM D2843—99	ASTM D2843—16
Specification for Performance of Exterior Windows, Curtain Walls, Doors and Impact Protective Systems Impacted by Windborne Debris in Hurricanes	ASTM E1996—02	E1996—14a, 17 or 20
Test Method for Performance of Exterior Windows, Curtain Walls, Doors and Storm Impact Protective Systems Impacted by Missiles and Exposed to Cyclic Pressure Differentials	ASTM E1886—02	E1886—13a or 19
Test Method for Structural Performance of Exterior Windows, Curtain Walls and Doors by Uniform Static Air Pressure Difference	ASTM E330—02	E330/E330M—14 or 14(2021)

Respectfully,



Frank Bennardo, P.E.
ENGINEERING EXPRESS®
#PE0046549 | Cert. Auth. 9885