

1900 NE MIAMI CT. SUITE 2-15, MIAMI, FL 33132

Product Evaluation Report

of

Croft, LLC Series 31 Horizontal Sliding Window (Non-HVHZ) (Non-Impact)

for

Florida Product Approval

FL# FL28822

Report No. 9039

Current Florida Building Code

Method: Category: Sub – Category: 1 – A (Certificate) Windows Horizontal Slider

Product: Materials: Product Dimensions: Series 31 Horizontal Sliding Window PVC See Installation Instructions, CRF021


Prepared for:

Croft, LLC 1800 North Clark Ave. Magnolia, MS 39652

Prepared by: Hermes F. Norero, P.E.

Florida Professional Engineer # 73778 Date: 12/26/23

Contents: Evaluation Report Pages 1 – 3



Hermes F. Norero, P.E. Florida P.E. No. 73778



 FL#:
 FL28822

 Report #:
 9039

 Date:
 12/26/23

1900 NE MIAMI CT. SUITE 2-15, MIAMI, FL 33132

Manufacturer:		Croft, LLC				
Product Category:		Windows				
Product Sub-Category:		Horizontal Slider				
Compliance Method:		State Product Approval Method (1)(a)				
Product Name:		Series 31 Horizontal Sliding Window (Non-HVHZ) (Non-Impact)				
Scope:	based on	s a Product Evaluation Report issued by Hermes F. Norero, P.E. (FL # 73778) Croft, LLC I on <u>Method 1a</u> of the State of Florida Product Approval, Department of Business and ssional Regulation - Florida Building Commission.				
	manufac	rmes F. Norero, P.E. does not have nor will acquire financial interest in the company nufacturing or distributing the product or in any other entity involved in the approval ocess of the product named herein.				
	This prod Code.	is product has been evaluated for use in locations adhering to the current Florida Building de.				
		tion Instructions CRF021 , signed and sealed by Hermes F. Norero, P.E. (FL # specific use parameters.				
Limits of Use:						
		This product has been evaluated and is in compliance with the current Florida Building Code, <u>excluding</u> the "High Velocity Hurricane Zone" (HVHZ).				
	2. P	Product anchors shall be as listed and spaced as shown on details. Anchor embedment into substrate material shall be beyond wall dressing or stucco.				
	v	When used in areas requiring wind borne debris protection this product complies with Chapter 16 of the current Florida Building Code and <u>does require</u> an impact resistant covering.				
		Site conditions that deviate from the details of installation instructions CRF021 equire further engineering analysis by a licensed engineer or registered architect.				
	5. S	See Installation Instructions CRF021 for size and design pressure limitations.				

954.399.8478

BUILDINGDROPS.COM

2

0

954.744.4738



FL#: FL28822 Report #: 9039 Date: 12/26/23

1900 NE MIAMI CT. SUITE 2-15, MIAMI, FL 33132

Certification Agency:	The manufacturer has demonstrated compliance of manufacture of products in accordance with the Florida Building Code for manufacturing under an approved certification agency through National Accreditation and Management Institute, Inc. (FBC Organization # CER1773).			
Performance Standards:	The product described herein has been evaluated per:			
	• AA	AMA/WDMA/CSA 101/I.S.2/A440-08		
Referenced Data:				
	1.	Product Testing performed by Architectural Testing, Inc. (FBC Organization # TST1910)		
		Report #:	Report Date:	
		B9754.01-801-47	06/22/2012	
	2.	Certification Agency National Accreditation and Management Institute, Inc. (FBC Organization #: CER1773)		

Installation:

Refer to Installation Instructions (**CRF021**) for anchor spacing and more details of the installation requirements.

Design Pressure:

Refer to Installation Instructions (**CRF021**) for design pressures based on size, configuration, and glass types.

