

1900 NE MIAMI CT. SUITE 2-15, MIAMI, FL 33132

Product Evaluation Report

of

Croft, LLC. Series 60 Sliding Glass Door (Non-Impact) (Non-HVHZ)

for

Florida Product Approval

FL# FL29195

Report No. 9040

Current Florida Building Code

Method: Category: Sub – Category: 1 – A (Certificate Method) Exterior Doors Sliding Exterior Door Assemblies

Product: Material: Product Dimensions: Series 60 Sliding Glass Door PVC See Installation Instructions, CRF022


Prepared For:

Croft, LLC. 1800 North Clark Ave. Magnolia, MS 39652

Prepared By:

Hermes F. Norero, P.E. Florida Professional Engineer # 73778 Date: 12/26/23

Contents: Evaluation Report Pages 1 – 3



Hermes F. Norero, P.E. Florida No. 73778



 FL#:
 FL29195

 Report #:
 9040

 Date:
 12/26/23

1900 NE MIAMI CT. SUITE 2-15, MIAMI, FL 33132

Manufacturer:	Croft, LLC.
---------------	-------------

- Product Category: Exterior Doors
- Product Sub-Category: Sliding Exterior Door Assemblies
- **Compliance Method:** State Product Approval Method (1)(a)
- Product Name: Series 60 Sliding Glass Door (Non-Impact) (Non-HVHZ)
- Scope:This is a Product Evaluation Report issued by Hermes F. Norero, P.E. (FL # 73778) for Croft, LLC. based
on Method 1a of the State of Florida Product Approval, Department of Business and Professional
Regulation Florida Building Commission.

Hermes F. Norero, P.E. does not have nor will acquire financial interest in the company manufacturing or distributing the product or in any other entity involved in the approval process of the product named herein.

This product has been evaluated for use in locations adhering to the Current Florida Building Code.

See Installation Instructions **CRF022**, signed and sealed by Hermes F. Norero, P.E. (FL # 73778) for specific use parameters.

Limits of Use:

- 1. This product has been evaluated and is in compliance with the Current Florida Building Code, <u>excluding</u> the "High Velocity Hurricane Zone" (HVHZ).
- 2. Product anchors shall be as listed and spaced as shown on details. Anchor embedment into substrate material shall be beyond wall dressing or stucco.
- 3. When used in areas requiring wind borne debris protection this product complies with Chapter 16 of the Current Florida Building Code and <u>does</u> require an impact resistant covering.
- 4. Site conditions that deviate from the details of drawing **CRF022** require further engineering analysis by a licensed engineer or registered architect.
- 5. See Installation Instructions **CRF022** for size and design pressure limitations.



BUILDINGDROPS.COM

954.399.8478

954.744.4738

BU	FL#:	FL29195		
	Report #:	9040		
BUILDING DROPS	Date:	12/26/23		

1900 NE MIAMI CT. SUITE 2-15, MIAMI, FL 33132

Certification Agency:	The manufacturer has demonstrated compliance of window products in accordance with the Current Florida Building Code and for manufacturing under an approved certification agency through National Accreditation and Management Institute, Inc. (FBC Organization #: CER1773).			
Performance Standards:	The area	duat described beyein her been tosted a		
	The product described herein has been tested per:			
	• AAN	AAMA/WDMA/CSA 101/I.S.2/A440-08		
Referenced Data:				
	1.	Product Testing performed by Architectural Testing		
		Report #:	Report Date:	
		C5716.01-801-47	02/20/2013	
	2.	Certification Agency National Accreditation and Management Institute, Inc. (FBC Organization #: CER1773)		

Installation:

Refer to installation instructions (**CRF022**) for anchor spacing and more details of the installation requirements.

Design Pressure:

Refer to installation instructions (CRF022) for Design Pressures with respect to product sizes.

