

Product Evaluation Report

Rule 61G20-3.005(1) F.A.C. | Report No. 2656, Rev. 1 | Project No. 420-0309 | 11/9/20 | Page 1 of 2

Product Manufacturer

Renaissance Windows and Doors
13340 International Parkway
Jacksonville, FL 32218

Product Name, Model and/or Description

Series 9700 Vinyl Single Hung Window

Code: Current Edition of the Florida Building Code including the 7th Edition (2020) Florida Building Code

Compliance Method: 61G20-3.005(1)(A) – Certification Mark or Listing

Product Name, Model and/or Designation: Products covered by this evaluation include the following.

- Series 9700 Vinyl Single Hung Window

Product Testing, Materials and Certification (as applicable):

- Testing:
 - National Certified Testing Laboratory Report No. NCTL-210-4128-02, dated 12/17/18, Series 9700 Vinyl Single Hung Window tested to AAMA/WDMA/CSA 101/I.S.2/A440-08 and 11, ASTM E1886-05 and ASTM E1996-05/09, Class R-PG50, 63" x 44".

Product Installation Instructions:

- PTC PDG Drawing No. RWD0023, dated 3/27/20, signed and sealed by Robert J. Amoruso, Renaissance Windows and Doors, Series 9700 Vinyl Single Hung Window , Installation Anchorage Details.

Engineering Analysis & Evaluation: The following evaluations, engineering and/or rational analysis/calculations have been performed.

- Anchorage to structural substrate has been verified by calculation (PTC PDG Calc. No. 2656) prepared by Robert J. Amoruso, P.E. in accordance with the current edition of the Florida Building Code.

Performance Standards (used in testing):

- AAMA/WDMA/CSA 101/I.S. 2/A440-08
- AAMA/WDMA/CSA 101/I.S. 2/A440-11
- ASTM E1886-05
- ASTM E1996-05/09

Limitations & Conditions of Use:

- This product has NOT been evaluated for use inside the HVHZ (High Velocity Hurricane Zone).
- This product will not require an impact protective device when used in Wind Borne Debris Regions.
- Refer to Product Installation Instructions noted above for:
 - Maximum allowable wind loads at related maximum allowable size(s).
 - Overall dimensions and material/grade of main product components, accessories, etc.
 - Illustrated diagrams of the attachment of the product to substrate structure.
 - Anchor type(s), size(s), substrate(s), embedment, edge distance, and spacing/locations.
- Site wind pressures shall be determined by a licensed professional engineer in accordance with the current edition of the Florida Building Code (and/or ASCE 7 as referenced in the current edition of the Florida Building Code) for components and cladding based on allowable stress design.
- Site conditions not covered in this product evaluation document are subject to additional engineering analysis by a licensed professional engineer or registered architect as required by the authority having jurisdiction.



Product Evaluation Report

Rule 61G20-3.005(1) F.A.C. | Report No. 2656, Rev. 1 | Project No. 420-0309 | 11/9/20 | Page 2 of 2

- Adequacy of the existing structural substrates as a main wind force resisting system capable of withstanding and transferring applied product loads to the foundation is the responsibility of the licensed professional engineer or registered architect acting as the design professional of record for the project of installation.

Certificate of Independence per Product Approval Rule 61G20-3.009

PTC Product Design Group, LLC and Robert J. Amoruso, P.E. does not have, nor will acquire, any financial interest in the company manufacturing or distributing product(s) covered by this Product Evaluation Report.

PTC Product Design Group, LLC and Robert J. Amoruso, P.E. do not have, nor will acquire any financial interest in any other entity involved in the approval process or testing of the product(s) covered by this Product Evaluation Report.

Evaluated By:
Robert J. Amoruso, P.E.
FL P.E. License Number 49752

