

398 East Dania Beach Blvd. Suite 338 Dania Beach, FL 33004 954.399.8478 PH 954.744.4738 FX contact@buildingdrops.com

# **Product Evaluation Report**

of

# **Arcadia Custom** Series 10000 Aluminum Multifold Door (Non-HVHZ) (Impact)

for

Florida Product Approval

FL# FL38490

Report No. 7545

## **Current Florida Building Code**

Method: 1 – D (Engineering Evaluation)

**Exterior Doors Category:** 

**Swinging Exterior Door Assemblies** Sub – Category:

> **Product:** Series 10000 Aluminum Multifold Door

Materials: Aluminum 6063-T5

**Product Dimensions:** See Installation Instructions, ACWD010

## **Prepared for:**


**Arcadia Custom** 9280 E Old Vail Rd, **Tucson, AZ 85747** 

# Prepared by:

Hermes F. Norero, P.E.

Florida Professional Engineer # 73778 Date: 04/05/2021

**Evaluation Report** Pages 1-3



Florida No. 73778



FL#: FL38490 Date: 04/05/2021

Report No: 7545

Manufacturer: **Arcadia Custom** 

**Product Category: Exterior Doors** 

**Product Sub-Category: Swinging Exterior Door Assemblies** 

**Compliance Method:** State Product Approval Method (1)(d)

Series 10000 Aluminum Multifold Door **Product Name:** 

(Non-HVHZ) (Impact)

Scope: This is a Product Evaluation Report issued by Hermes F. Norero, P.E. (FL # 73778) for Arcadia Custom

based on Method 1d of the State of Florida Product Approval, Department of Business and

Professional Regulation - Florida Building Commission.

Hermes F. Norero, P.E. does not have nor will acquire financial interest in the company manufacturing or distributing the product or in any other entity involved in the approval process of the product named herein.

This product has been evaluated for use in locations adhering to the current Florida Building Code.

See Installation Instructions ACWD010, signed and sealed by Hermes F. Norero, P.E. (FL # 73778) for specific use parameters.

### Limits of Use:

- 1. This product has been evaluated and is in compliance with the current Florida Building Code, excluding the "High Velocity Hurricane Zone" (HVHZ).
- Product anchors shall be as listed and spaced as shown on details. Anchor embedment into 2. substrate material shall be beyond wall dressing or stucco.
- 3. When used in areas requiring wind borne debris protection this product complies with Chapter 16 of the current Florida Building Code and does not require an impact resistant covering in Wind Zone 4 or less.
- 4. Site conditions that deviate from the details of drawing ACWD010 require further engineering analysis by a licensed engineer or registered architect.
- 5. See Installation Instructions **ACWD010** for size and design pressure limitations.

FL38490 FL#: Date: 04/05/2021

Report No: 7545

### **Quality Assurance:**

The manufacturer has demonstrated compliance of manufacture of products in accordance with the current Florida Building Code for manufacturing under a quality assurance program audited by an approved quality assurance entity through Keystone Certifications, Inc. (FBC Organization # QUA1824).

#### **Performance Standards:**

The product described herein has been evaluated per:

- ASTM E283-04(12) **ASTM E330-14** ASTM E547-00(16) ASTM E1886-13a
- ASTM E1996-14a

#### **Referenced Data:**

1. Product Testing performed by Intertek – Lake Forst, CA (ATI) (FBC Organization # TST9424) Report #: K2424.01-303-18, Report Date: 12/04/20

2. Quality Assurance

**Keystone Certifications, Inc.** (FBC Organization # QUA1824)

#### Installation:

Refer to Installation Instructions (ACWD010) for anchor spacing and more details of the installation requirements.

### **Design Pressure:**

Refer to Installation Instructions (ACWD010) for design pressures based on size, configuration, and glass types.